
















RFID Wristband




Product	Description												
 <p>Model: ATT-T01 Round Silicone Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Silicone ✦ Dimension: <table border="1" data-bbox="703 454 954 544"> <tr> <td>d(mm)</td> <td>65</td> <td>74</td> </tr> <tr> <td>m(mm)</td> <td>16</td> <td>19</td> </tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -50°C ~ 240°C ✦ Standard Package: 13.8 g/pcs, 100 pcs/pouch ✦ Main Features: Water proof, high temperature resistance, durable, eco-friendly 	d(mm)	65	74	m(mm)	16	19						
d(mm)	65	74											
m(mm)	16	19											
 <p>Model: ATT-X02 Flat Silicone Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Silicone ✦ Dimension: <table border="1" data-bbox="687 902 938 992"> <tr> <td>d(mm)</td> <td>61</td> <td>67</td> </tr> <tr> <td>m(mm)</td> <td>28</td> <td>28</td> </tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -50°C ~ 240°C ✦ Standard Package: 12 g/pcs, 100 pcs/pouch ✦ Main Features: Water proof, high temperature resistance, durable, eco-friendly 	d(mm)	61	67	m(mm)	28	28						
d(mm)	61	67											
m(mm)	28	28											
 <p>Model: ATT-T03 Oval Silicone Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Silicone ✦ Dimension: <table border="1" data-bbox="691 1350 1141 1440"> <tr> <td>d(mm)</td> <td>45</td> <td>50</td> <td>60</td> <td>65</td> <td>74</td> </tr> <tr> <td>m(mm)</td> <td>14</td> <td>14</td> <td>14</td> <td>14</td> <td>16</td> </tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -50°C ~ 240°C ✦ Standard Package: 12.8 g/pcs, 100 pcs/pouch ✦ Main Features: Water proof, high temperature resistance, durable, eco-friendly 	d(mm)	45	50	60	65	74	m(mm)	14	14	14	14	16
d(mm)	45	50	60	65	74								
m(mm)	14	14	14	14	16								
 <p>Model: ATT-T04 Silicone Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Silicone ✦ Dimension: <table border="1" data-bbox="694 1787 1501 1843"> <tr> <td>d (mm)</td> <td>31</td> <td>m(mm)</td> <td>19</td> <td>l(mm)</td> <td>240</td> </tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -50°C ~ 240°C ✦ Standard Package: 18.7 g/pcs, 100 pcs/pouch ✦ Main Features: Water proof, high temperature resistance, durable, eco-friendly 	d (mm)	31	m(mm)	19	l(mm)	240						
d (mm)	31	m(mm)	19	l(mm)	240								




friendly

Product	Descriptions						
 <p>Model: ATT-T05 Watch Silicone Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Silicone ✦ Dimension: <table border="1" data-bbox="694 459 949 560"> <tr><td>d (mm)</td><td>35</td></tr> <tr><td>m(mm)</td><td>20</td></tr> <tr><td>l (mm)</td><td>231.5</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -50°C ~ 240°C ✦ Standard Package: 17 g/pcs, 100 pcs/pouch ✦ Main Features: Water proof, high temperature resistance, durable, eco-friendly 	d (mm)	35	m(mm)	20	l (mm)	231.5
d (mm)	35						
m(mm)	20						
l (mm)	231.5						
 <p>Model: ATT-Y06 Watch PVC Wristband</p>	<ul style="list-style-type: none"> ✦ Material: ABS+PVC ✦ Dimension: <table border="1" data-bbox="710 907 949 1008"> <tr><td>d (mm)</td><td>36.85</td></tr> <tr><td>m(mm)</td><td>16.2</td></tr> <tr><td>l (mm)</td><td>249</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -40°C ~ 70°C ✦ Standard Package: 18.7 g/pcs, 50 pcs/pouch ✦ Main Features: stable performance, common wristband type 	d (mm)	36.85	m(mm)	16.2	l (mm)	249
d (mm)	36.85						
m(mm)	16.2						
l (mm)	249						
 <p>Model: ATT-T07 Plastic Closed-loop Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Plastic ✦ Dimension: <table border="1" data-bbox="702 1321 885 1411"> <tr><td>d(mm)</td><td>65</td></tr> <tr><td>m(mm)</td><td>20</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Support Service: Color/logo/numbers printing, customized requirement ✦ Work Temperature: -10°C ~ 50°C ✦ Standard Package: 16 g/pcs, 100 pcs/pouch ✦ Main Feature: stable performance, common wristband type 	d(mm)	65	m(mm)	20		
d(mm)	65						
m(mm)	20						
 <p>Model: ATT-T08 Plastic i Button Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Plastic ✦ Dimension: <table border="1" data-bbox="694 1724 869 1814"> <tr><td>d(mm)</td><td>65</td></tr> <tr><td>m(mm)</td><td>20</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Application: bath house lock, electronic lock ✦ Work Temperature: -40°C ~ 85°C ✦ Standard Package: 17.1 g/pcs, 100 pcs/pouch ✦ Main Features: stable performance, common wristband type 	d(mm)	65	m(mm)	20		
d(mm)	65						
m(mm)	20						

Product	Descriptions									
 <p>Model: ATT-T09 PVC Watch Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Plastic ✦ Dimension: <table border="1" data-bbox="695 539 919 640"> <tr><td>d (mm)</td><td>34</td></tr> <tr><td>m(mm)</td><td>16</td></tr> <tr><td>l (mm)</td><td>220</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Work Temperature: -10°C~80°C ✦ Standard Package: 13.5 g/ pcs, 100 pcs/pouch ✦ Main Features: stable performance, common wristband type 	d (mm)	34	m(mm)	16	l (mm)	220			
d (mm)	34									
m(mm)	16									
l (mm)	220									
 <p>Model: ATT-T10 Snap Fastener Wristband</p>	<ul style="list-style-type: none"> ✦ Material: PVC ✦ Dimension: <table border="1" data-bbox="687 891 970 1021"> <tr><td>d(mm)</td><td>38</td><td>30</td></tr> <tr><td>m(mm)</td><td>18</td><td>14</td></tr> <tr><td>l(mm)</td><td>220</td><td>180</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Work Temperature: -50°C~240°C ✦ Standard Package: 7.53-11.63 g/ pcs, 100 pcs/pouch . ✦ Main Features: stable performance, common wristband type 	d(mm)	38	30	m(mm)	18	14	l(mm)	220	180
d(mm)	38	30								
m(mm)	18	14								
l(mm)	220	180								
 <p>Model: ATT-T11 PVC Watch Wristband</p>	<ul style="list-style-type: none"> ✦ Material: PVC ✦ Dimension: <table border="1" data-bbox="687 1276 979 1406"> <tr><td>d(mm)</td><td>40</td><td>37</td></tr> <tr><td>m(mm)</td><td>16</td><td>16</td></tr> <tr><td>l(mm)</td><td>258</td><td>258</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Work Temperature: -10°C~80°C ✦ Standard Package: 13.5 g/ pcs, 100 pcs/pouch . ✦ Main Features: stable performance, common wristband type 	d(mm)	40	37	m(mm)	16	16	l(mm)	258	258
d(mm)	40	37								
m(mm)	16	16								
l(mm)	258	258								
 <p>Model: ATT-T12 PVC Watch Wristband</p>	<ul style="list-style-type: none"> ✦ Material: Soft PVC ✦ Dimension: <table border="1" data-bbox="687 1657 916 1787"> <tr><td>d(mm)</td><td>33</td></tr> <tr><td>m(mm)</td><td>15</td></tr> <tr><td>l(mm)</td><td>212</td></tr> </table> ✦ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✦ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✦ Work Temperature: -10°C~240°C ✦ Standard Package: 17.7 g/ pcs, 100 pcs/pouch . ✦ Main Features: stable performance, common wristband type 	d(mm)	33	m(mm)	15	l(mm)	212			
d(mm)	33									
m(mm)	15									
l(mm)	212									

Product	Descriptions																																			
 <p>Model: ATT-T13 Anti-dismantle PVC Wristband</p>	<ul style="list-style-type: none"> ✧ Material: PVC ✧ Dimension: <table border="1" data-bbox="687 607 900 741"> <tr> <td>d'(mm)</td> <td>37</td> </tr> <tr> <td>m(mm)</td> <td>22</td> </tr> <tr> <td>l(mm)</td> <td>240</td> </tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -10°C~240°C ✧ Standard Package: 27.2 g/pcs, 100 pcs/pouch . ✧ Main Features: stable performance, common wristband type 	d'(mm)	37	m(mm)	22	l(mm)	240																													
d'(mm)	37																																			
m(mm)	22																																			
l(mm)	240																																			
 <p>Model: ATT-T14 Disposable PVC Wristband</p>	<ul style="list-style-type: none"> ✧ Material: PVC ✧ Dimension: <table border="1" data-bbox="687 1025 1329 1245"> <tr> <td>d(mm)</td> <td>25</td> <td>25</td> <td>24</td> <td>26</td> <td>26</td> <td>25</td> </tr> <tr> <td>d'(mm)</td> <td>14</td> <td>14</td> <td>14</td> <td>17</td> <td>/</td> <td>14</td> </tr> <tr> <td>m(mm)</td> <td>12</td> <td>12</td> <td>12</td> <td>14</td> <td>15</td> <td>12</td> </tr> <tr> <td>l(mm)</td> <td>210</td> <td>250</td> <td>250</td> <td>300</td> <td>245</td> <td>300</td> </tr> <tr> <td>l'(mm)</td> <td>73.5</td> <td>76</td> <td>110</td> <td>80</td> <td>/</td> <td>76</td> </tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -40°C~ 80°C ✧ Standard Package: 2.3g/pcs, 100 pcs/pouch ✧ Main Features: compact size, ingenious, fashionable 	d(mm)	25	25	24	26	26	25	d'(mm)	14	14	14	17	/	14	m(mm)	12	12	12	14	15	12	l(mm)	210	250	250	300	245	300	l'(mm)	73.5	76	110	80	/	76
d(mm)	25	25	24	26	26	25																														
d'(mm)	14	14	14	17	/	14																														
m(mm)	12	12	12	14	15	12																														
l(mm)	210	250	250	300	245	300																														
l'(mm)	73.5	76	110	80	/	76																														
 <p>Model: ATT-T15 Disposable Paper Wristband</p>	<ul style="list-style-type: none"> ✧ Material: Paper ✧ Dimension: <table border="1" data-bbox="687 1579 1425 1798"> <tr> <td>d(mm)</td> <td>25</td> <td>25</td> <td>24</td> <td>26</td> <td>26</td> <td>25</td> </tr> <tr> <td>d'(mm)</td> <td>14</td> <td>14</td> <td>14</td> <td>17</td> <td>/</td> <td>14</td> </tr> <tr> <td>m(mm)</td> <td>12</td> <td>12</td> <td>12</td> <td>14</td> <td>15</td> <td>12</td> </tr> <tr> <td>l(mm)</td> <td>210</td> <td>250</td> <td>250</td> <td>300</td> <td>245</td> <td>300</td> </tr> <tr> <td>l'(mm)</td> <td>73.5</td> <td>76</td> <td>110</td> <td>80</td> <td>/</td> <td>76</td> </tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -10°C~ 80°C ✧ Standard Package: 1.08 g/pcs, 100 pc ✧ Main Features: compact size, ingenious, fashionable 	d(mm)	25	25	24	26	26	25	d'(mm)	14	14	14	17	/	14	m(mm)	12	12	12	14	15	12	l(mm)	210	250	250	300	245	300	l'(mm)	73.5	76	110	80	/	76
d(mm)	25	25	24	26	26	25																														
d'(mm)	14	14	14	17	/	14																														
m(mm)	12	12	12	14	15	12																														
l(mm)	210	250	250	300	245	300																														
l'(mm)	73.5	76	110	80	/	76																														

Product	Descriptions												
 <p>Model: ATT-T16 Eye-splice Nylon Wristband</p>	<ul style="list-style-type: none"> ✧ Material: Nylon+ABS ✧ Dimension: <table border="1" data-bbox="687 577 895 752"> <tr><td>d(mm)</td><td>40</td></tr> <tr><td>d'(mm)</td><td>37</td></tr> <tr><td>m(mm)</td><td>16</td></tr> <tr><td>l(mm)</td><td>200</td></tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -10°C~50°C ✧ Standard Package: 9.85g/ pcs, 100 pcs/ pouch ✧ Main Features: shower proof, simple structure, practical 	d(mm)	40	d'(mm)	37	m(mm)	16	l(mm)	200				
d(mm)	40												
d'(mm)	37												
m(mm)	16												
l(mm)	200												
 <p>Model: ATT-T17 Magic stick Nylon Wristband</p>	<ul style="list-style-type: none"> ✧ Material: Nylon+ABS ✧ Dimension: <table border="1" data-bbox="687 1003 970 1178"> <tr><td>d(mm)</td><td>40</td><td>40</td></tr> <tr><td>d'(mm)</td><td>37</td><td>37</td></tr> <tr><td>m(mm)</td><td>20</td><td>16</td></tr> <tr><td>l(mm)</td><td>280</td><td>245</td></tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -10°C~50°C ✧ Standard Package: 13.5g/ pcs, 100 pcs/ pouch ✧ Main Features: shower proof, simple structure, practical 	d(mm)	40	40	d'(mm)	37	37	m(mm)	20	16	l(mm)	280	245
d(mm)	40	40											
d'(mm)	37	37											
m(mm)	20	16											
l(mm)	280	245											
 <p>Model: ATT-T18 Nylon Watch Wristband</p>	<ul style="list-style-type: none"> ✧ Material: Nylon+ABS ✧ Dimension: <table border="1" data-bbox="687 1467 884 1641"> <tr><td>d(mm)</td><td>40</td></tr> <tr><td>d'(mm)</td><td>37</td></tr> <tr><td>m(mm)</td><td>16</td></tr> <tr><td>l(mm)</td><td>260</td></tr> </table> <ul style="list-style-type: none"> ✧ Color: Black, Blue, Red, Yellow, Pink, Green etc. ✧ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ✧ Work Temperature: -10°C~50°C ✧ Standard Package: 9.85 g/ pcs, 100 pcs/ pouch ✧ Main Features: shower proof, simple structure, practical 	d(mm)	40	d'(mm)	37	m(mm)	16	l(mm)	260				
d(mm)	40												
d'(mm)	37												
m(mm)	16												
l(mm)	260												

Picture	Remarks								
 <p>Model: ATT-T19 Magic Stick Nylon Wristband</p>	<ul style="list-style-type: none"> ◇ Material: Nylon+Epoxy PVC Face ◇ Dimension: <table border="1" data-bbox="667 705 869 878"> <tr><td>d(mm)</td><td>42</td></tr> <tr><td>d'(mm)</td><td>26</td></tr> <tr><td>m(mm)</td><td>20</td></tr> <tr><td>l(mm)</td><td>260</td></tr> </table> ◇ Color: Offset printing. ◇ Available Chip: LF (125K), HF(13.56M), UHF(915M) on request ◇ Work Temperature: -10°C~50°C ◇ Standard Package: 10g/pcs, 100 pcs/pouch ◇ Main Features: shower proof, simple structure, practical 	d(mm)	42	d'(mm)	26	m(mm)	20	l(mm)	260
d(mm)	42								
d'(mm)	26								
m(mm)	20								
l(mm)	260								
 <p>Model: ATT-T20 Active Wristband</p>	<ul style="list-style-type: none"> ◇ Material: PET ◇ Dimension: <table border="1" data-bbox="667 1209 874 1382"> <tr><td>d(mm)</td><td>48</td></tr> <tr><td>d'(mm)</td><td>48</td></tr> <tr><td>m(mm)</td><td>16</td></tr> <tr><td>l(mm)</td><td>250</td></tr> </table> ◇ Frequency:2.45GHz ◇ Reading Distance:3-50m ◇ Color: Black, Blue, Red, Yellow, Pink, Green etc. ◇ Work Temperature: -25°C~65°C ◇ Standard Package: 25g/pcs, 100 pcs/pouch ◇ Main Features: Water proof, high temperature resistance 	d(mm)	48	d'(mm)	48	m(mm)	16	l(mm)	250
d(mm)	48								
d'(mm)	48								
m(mm)	16								
l(mm)	250								
 <p>Model: ATT-T21 Active Wristband</p>	<ul style="list-style-type: none"> ◇ Material: PET ◇ Dimension: <table border="1" data-bbox="667 1668 874 1841"> <tr><td>d(mm)</td><td>51</td></tr> <tr><td>d'(mm)</td><td>37</td></tr> <tr><td>m(mm)</td><td>18</td></tr> <tr><td>l(mm)</td><td>260</td></tr> </table> ◇ Frequency:433MHz ◇ Reading Distance:2-100m ◇ Color: Black, Blue, Red, Yellow, Pink, Green etc. ◇ Work Temperature: -25°C~65°C ◇ Standard Package: 27 g/pcs, 100 pcs/pouch ◇ Main Features: Water proof, automatically locked 	d(mm)	51	d'(mm)	37	m(mm)	18	l(mm)	260
d(mm)	51								
d'(mm)	37								
m(mm)	18								
l(mm)	260								



Joining Opportunities